

## BURSTDETECT

## The early warning pollution detection system

BurstDetect offers early detection of rising mains bursts, helping you to react more quickly to reduce the impact of pollution events. Easy to integrate, BurstDetect requires no additional hardware and works with a range of monitoring solutions.

#### FEATURES & BENEFITS AT A GLANCE:



#### Real-time monitoring

Sophisticated analysis of readily available data in near real-time, increasing rapid awareness of rising mains events



#### • Escape escalated fines and penalties

Lower fines and penalties by rapidly identifying potential bursts quicker than existing solutions



#### Communication alerts

If a potential burst is detected, an alert is issued, reducing detection and response times, and limiting the impact and cost of the burst



#### Rapid detection of potential pollution events

Ability to discover bursts earlier, reducing the number and severity of pollution events and the cost of clean-up operations



#### • Self-reporting simplified

Access with ease the system status and historical events, simplifying the process to deliver accurate reports of incidents



#### User alerts to keep you informed

Incident notification emails, providing key information to ensure decisions can be quickly made to manage pollution events and mitigate any negative publicity





### BURSTDETECT

#### CLOUD BASED ANALYTICS SOLUTION

Without a rapid operational response, bursts on sewers rising mains, can cause significant environmental pollution and lead to large clean-up costs and reputational damage.

To address this, Ovarro has developed BurstDetect, a cloudbased machine learning tool that has been demonstrated to detect rising mains bursts using just a short period of postburst monitoring data, allowing for quick action to minimise the environmental impact.

If a potential burst is detected, an alert is sent to users, reducing detection and response times and limiting the impact and cost of the burst.



Burthen	ect / Overview		Recent open alerts								
Overview Ove	erview			Cherview	10 Status Anoma	ly type (as alerted)	Confidence	Estimated o	courrence date P	Pumping station	
Overall performance				O Overall performance	4) Unreviewed + Bast		Medium (697			Tower Hills Pumping Station	Texas
Open alerts			2m ago	1 Openatoria	42 Carlined • Bust		Medium (667	NJ 23-03-2021	0606 8	Sam Fend Pumping Station	hoto
Cisted alerts	20	! 2 Openalists		✓ Cased aterts							
Pumping stations			Particing stations	Open and closed alerts III Last week				E Last veek	Current status of open alerts		
Forgary stations				O contractions							
Instant	2m ago	C Insidem							1		
Concert Concert	S 66-87-2821 60-80 Last data landa		Constitution and	1							
			- m					Total count			
Party of the local data	Recent open alerts				1.21		_				
	Status Anomaly type (as alerted) North Detect Demo 3 ~	Confidence Estimated securrence dat	Penyleg station     Train bulke@mans.com     Control bulke@mans.com		Runt Detect Dene Inst Detect Dene				•	P role duke@v Role Duke	ovario com
ATRIUM		Candidana Estimated accurace del	noidskejournam v		Burst Detect Deno BurstDetect / Pumping stations				•	7 9 Tosiedrake@ Rooie Doale	uvero.com
ATRIUM C	Burit Devict Dema 🌮 💙 Burit Delect Dema		noidskejournam v	ATRIUM     ATRIUM     Overste     Overste	Burst Detect Demo					Rose (Vale	
ATRIUM	Burt Detect Dens ) *		O monthing/fromming     V	De Overstere	Burst Detect Deno BurstDetect / Pumping stations		Open alerta à	Total alerts 6		Rose (Vale	
ATRIUM CONTRACTOR	Burt Detect Dens ) *	3 3 4 Renyon Colonal Canada	O monthing/fromming     V	D Overview C Overview C Overview D Over	Buest Defect Demo BeestDefect / Paraging stations	ions	Open allerts #	Total alerts a	[9	Picsie Crake	
ATRIUM	Burt Direct Dans 3 * * Burt Daket Dans Untersent	2 0 4	A P rost-date/freemann V	De Overstere	Rent Detect Deno RentDetect / Panging states Pumping stat	ions	Open allerts a 0		Se Lest dets spdets s	Last algorithm run t	tine openenty con
Anterna Antern	Burst Detert Dense 3 👻	1) (1) (4) n program Continued Complete Altert Information	O monthing/fromming     V	De Overster     Overste performance     Overste performance     Overste performance     Overste performance     Overste performance	Rest Detect Deve RestDetect / Tunying station Pumping state Name # Locien Pumping Station	ions Mentilier # P5330	Open alerta a Q Q Q	0	50 Last data update 1 19-05-2023.08.30	Lett algorithm run 1 19:05-2021 09:35	Detail
CATRIUM.	Burst Detect Benes 3 V	2 3 4 h progress Conferend Complete Adverts information Advertuity (par (or annual) Panaly Contineore	O     O     mindulef(warsom     v     v     mane Date	D Overview C Overview C Overview D Over	Newtherer / Proving datases	ions Meretifier # PS029	Open alerts 8 0 0 0	*	50 Last data spdata 8 19-05-2021 0830 19-05-2021 0826	East algorithm run 8 19:05-2021 09:25 19:05-2021 09:36	Deter Deter
	Burst Detert Dense 3 👻	2 3 4 h progress Conferend Complete Adverts information Advertuity (par (or annual) Panaly Contineore	Point of all addresses matching	De Overlan     Overland performance      Overland	Rest Detect Deve Rest:Detect / Pomping station: Pumping status Losen Pumping Station Carsack Pumping Station Statubases Pumping Station	ions Memblier # PS29 PS29 PS28	Open alerts 8 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6 2	50 Last data updata 1 19-05-2021 08:30 19-05-2021 08:28 19-05-2021 08:22	East algorithm run 8 19:05-2021 09:25 19:05-2021 09:36	Deta Deta Deta Deta
ATRUM	Burst Detect Benes 3 V	3     3     4     Appropriate     Continued     Contribute     Advect information     Assessy type its avenuel     Macrosy type its avenuel     Assessy type its avenuel     Assessy type its avenuel     Continues	Rest Main (Mar)	De Overster     Overster     Overster     Overster     Overster     Overster     Overster     Overster	Newtherer / Proving datases	ions Memblier & P5329 P5329 P5329 P5329 P5329	Open alerts 8 0 0 0 0 0 0 0 0 0 0 0 0	0 0 2 1	50 Last data spelate a 19-69-2021 (01:20 19-69-2021 (01:20 19-69-2021 (01:20 19-69-2021 (01:20	Last algorithm run 8 19-05-2021 09-25 19-05-2021 09-25 19-05-2021 09-09 19-05-2021 09-09	Dotal Dotal Dotal Dotal
ATRUM  ATRUM AT	Burst Detect Benes 3 V	Continued     Tellmaned scourspore and     Tellmaned scoursp	Rend Rend Date Minis Date Rend Rend Rend Rend Rend Rend Rend Ren	De Overlan     Overland performance      Overland	A de la de de de de de la de l	ions Memblier # P5330 P529 P5328 P5327 P5327 P5326	0 8 0 0 0	0 0 2 1 0	50 Last data spilate 3 19-05-2021 08:20 19-05-2021 08:22 19-05-2021 08:22 19-05-2021 08:24 19-05-2021 08:14	East algorithm run 8 19-05-2021 09:35 19-05-2021 09:35 19-05-2021 09:30 19-05-2021 09:34 19-05-2021 09:34	Dytar Dytar Dytar Dytar Dytar Dytar
	Burt Chert Cherts Burt Chert Cherts Unrenend Ber dale Ber dale Na conferred socurrence all	2 Confirmed Campien Resource To Confirmed Alexandry top (seamed) Particle Confidence Confidence Confidence Top (provid darf darf	Rose Base Data Rose Data Rose Base Base Base Base Base Base Base Ba	De Overlan     Overland performance      Overland	Rentitivent / Franzing statutors Rentitivent / Franzing statutors Purperpending Statutors Laters Purperson Statutors Statutors Purperson Statutors Bandyators Purperson Statutors Bandyators Purperson Statutors	ions Membler # P5330 P529 P529 P5328 P5327 P5326 P5325	0 0 0 0	0 0 2 1 1 2 1	54 Last data spilate 8 19-95-2021 08:20 19-95-2021 08:20 19-95-2021 08:20 19-95-2021 08:10 19-95-2021 08:07	Accel Call         1           Last dijeritime run #         1           19 62-221 (0:35         1           19 62-222 (0:35         1           19 62-222 (0:31         1           19 62-222 (0:31         1           19 62-221 (0:35         1           19 62-221 (0:35         1           19 62-221 (0:35         1           19 62-221 (0:35         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1           19 62-221 (0:31         1	Detail Detail Detail Detail Detail
ATRIUM C	Burt Cheel Cheel 3 V	2) 3 4 h programs Confirmed Complete Action proje its amenicy Proving Confidence Estimated accurrence and The project and char The project and char The project and char The project and char The project and char	Rend Rend Date Minis Date Rend Rend Rend Rend Rend Rend Rend Ren	De Overlan     Overland performance      Overland	RestReter / Franking sealers RestReter / Franking sealers <b>Dumping States</b> Cares Pranking States Stabback Pranking States Testalat Anaropa States Testalat Anaropa States Testalat Anaropa States	Ions Hereither # P5330 P5329 P5329 P5324 P5324	0 0 0 0 0 0	0 0 2 1 1 8 1 8	50 Last data spilote 3 19-65-2021 08:20 19-65-2021 08:20 19-65-2021 08:24 19-65-2021 08:07 19-65-2021 08:07	Accel College         •           Lest signifilies run £         •           19-05-021 0935         •           19-05-221 0935         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           -         •           >>         •           >>         •           >         •	Swano Jow Down Down Down Down Down Down Down Do

\* Some features may be part of future releases. Please ask your local representative for clarification.

Find an authorised Ovarro partner to make sure the BurstDetect is part of your next project by visiting Ovarro.com.

#### SUITABLE APPLICATIONS:

# WATER

#### CONTACT US:

E-mail	sales@ovarro.com
Web	www.ovarro.com
Twitter	www.twitter.com/ovarro_ltd
LinkedIn	www.linkedin.com/company/ovarro

